

SMT

WORLDWIDE

 PART OF INCORPORATECHNO



WWW.SMTWORLDWIDE.COM

HEADQUARTERCENTER
BARCELONA - SEOUL
MONTERREY - TUNISIA

DISTRIBUTIONCENTER
SPAIN - KOREA - MEXICO - FRANCE
ITALY - PORTUGAL - GERMANY - TUNISIA

BOX-02 - Pallet + maritime vacuum bag

Machine fixed onto a pallet and wrapped in an aluminized or VCI barrier bag, vacuum-sealed or heat-sealed, with desiccants and humidity indicator to protect against corrosion and saline environments.

Recommended application

- Sea freight.
 - Long-term storage.
 - Tropical or high-humidity destinations.
 - Equipment with sensitive metal or electronic components.
-

Packaging components

- ISPM-15 treated pallet.
- Multi-layer aluminium barrier bag or VCI bag.
- Desiccants calculated according to volume and transport duration.
- Humidity indicator.
- Outer film or additional external protection.

Main advantages

- Very good anti-corrosion protection.
 - Protection against humidity and saline atmosphere.
 - Suitable for sea export.
 - Reduces risk during temporary storage.
-

Limitations

- Does not protect by itself against major impacts.
 - Requires control of sealing quality and desiccants.
 - Must be combined with a crate or box when mechanical risk is high.
-