


PRODUCT

Delta Printing System



First truly additive method for dispensing
single micron functional structures

Benefits and advantages

- Feature sizes down to submicron scale
- Wide range of material support
- Printing on heterogeneous materials and 3D topographies
- Uniform & clean feature geometries: no overspray, high linewidth homogeneity
- Fast & easy exchange of cartridges & nozzles
- Only 0.1 ml of ink required to start printing
- Up to 100% ink utilization

Ultra-Precise Dispensing (UPD) technology

- Ultra-high-resolution printing on various substrates
- High-viscosity materials along with small feature sizes
- High aspect ratios just after a single pass
- Wide range of printable materials: metallic nanoparticle inks and pastes, quantum dot inks, dielectrics, polymers, photoresists, organic, liquid metal alloys and more
- Uninterrupted interconnections on highly complex topographies

Revolutionize your industry with the power of UPD



Semiconductors

- High precision with submicron feature size
- A wide range of materials supported for varied semiconductor fabrication needs
- High aspect ratios, ideal for conductive power interconnections
- Quick process enhances efficiency and ensures uniform, reliable end products
- Printing on complex 3D surfaces More-than-Moore devices



Flexible Hybrid Electronics

- Superior precision for Flexible Hybrid Electronics manufacturing
- Reliable 3D chip interconnections directly on vertical slopes
- Conductive and non-conductive materials for complex circuit patterns and reliable interconnections
- High aspect ratios in a single pass
- Uniform, clean geometries promote FHE device performance and Radio Frequency (RF) capabilities



Biosensors

- Biosensing pattern fabrication on flexible substrates, vital for wearable sensors
- Functionalized materials to prototype biosensors targeted at specific markers
- Unparalleled precision for swift biosensor prototyping
- Ability to print structures through different types of microchannels



Displays

- Ultra-high resolution printing for OLED and microLED displays
- Precision ideal for interconnections, microcavity filling, and defect repair
- Dispensing of various display architecture elements, such as color conversion layers and interconnectors
- Single-step, high-precision additive process increases yield and reduces production time and costs




Printed Circuit Boards


- A wide variety of materials facilitating specific PCB structure creation and integration
- High aspect ratio structures in a single pass
- Printing on complex 3D

Case study


Silicon wafer printed on the edge with silver nanopaste CL85



The topology of Ag after thermal sintering on the glass substrate



Silver lines printed with silver nanopaste CL85



DPS device details

Item	Value
Feature size range	ultra-high resolution from 0.5 μm to 1 μm
	high resolution from 1 μm to 10 μm
	medium resolution from 10 μm to 50 μm
Viscosity	from 10 to over 1 000 000 cP
Substrate alignment	3-point levelling table with rotation error correction
Printing area	200 mm x 200 mm
Maximum printing speed	10 mm/s
Process preview	Video feedback from 2 high-resolution and 1 top view cameras
XY motor movement accuracy / repeatability	2 μm / 0.5 μm
Z motor movement accuracy / repeatability (vertical adjustment)	0.5 μm / 0.5 μm
Printer cabinet dimensions (excluding peripherals and Printing Workstation)	1100 mm x 950 mm x 1925 mm

What sets technology apart and makes it the ideal choice for you?

Open platform for prototyping

- Versatile technology for a range of R&D applications
- Diverse resolutions
- Expanding library of materials
- Adjustable parameters
- Continuous R&D innovations

Reliable, repeatable, and durable results for specific materials

- Groundbreaking precision with high-resolution 3D printing - guaranteed 1 μm line printed during setup
- Extensive compatibility with high-resolution third-party inks
- High precision and flawless uniformity in your printed traces
- Unmatched electrical conductivity in printed traces, validated by pre-delivery and field-based proof-of-concept

Easy to operate and maintain

- Seamless printing with our intuitive and simple-to-set printing parameters
- Straightforward, rapid procedure for cartridge and nozzle installation
- No need for post-printing cleanup
- Delta design fits perfectly to any setting
- System updates and development of new features

XTPL Software

- Intuitive navigation: icons, toolbars, and other visual elements provide clues and make it easier to understand app features
- Increased productivity & minimize errors: with visual cues and easier navigation, users are less likely to make mistakes
- Faster access to features: well-designed software allows to quickly find and use the features



Hear more about UPD from academic experts

Prof. Norbert Fruehauf

Director of IGM at University of Stuttgart

"The XTPL's ability to directly dispense (in a mask-less approach) electrically conductive structures in the minimum feature size range of 1.5 - 10 micrometers is unique. In my view the XTPL's ultra-precise dispensing technology offers truly unique properties, which are an excellent fit to the future needs in the field of printable high-resolution and foldable OLED displays."

Contact our team

XTPL S.A., Legnicka 48E,
54-202 Wrocław, Poland

✉ sales@xtpl.com

XTPL Inc., Greentown Labs
444 Somerville Ave, Somerville, MA 02143 USA

✉ info.usa@xtpl.com

xtpl.com

